

3000-GALLON PUMPER/TANKER



HANOVER COMMUNITY FIRE PROTECTION DISTRICT HANOVER, ILLINOIS

TECHNICAL SPECS

- Volvo VHD64B 2-Door Tandem Chassis
- Cummins ISM 320-HP Diesel Engine
- Allison 4560 Automatic Transmission
- Heavy Duty 3/16" Aluminum Body
- Amdor Roll Up Doors
- 3000-Gallon Wet side Poly Tank
- One (1) 4" Fireman's Friend Tank fill, rear
- One (1) 10" square Newton swivel manually controlled tank dump with 36" extension, rear
- Waterous CXSC 1250-GPM Pump
- Left side Pump Operator's panel
- Three (3) 2 1/2" Discharges, two (2) left side and one (1) right side
- One (1) 5" Discharge, right side
- One (1) 2 1/2" Gated Suction, left side
- Two (2) 1 1/2" Mattydale Preconnects, across top of pump module
- Ziamatic Electric Folding Tank Rack, left side
- Ladder and Pike pole storage brackets, right side
- Two (2) Suction hose storage gutters, right side
- Progressive Dynamics on-board battery charger
- Kussmaul Super Auto Eject 120-volt shoreline
- Kussmaul Air Auto Eject
- Code 3 Electronic Siren with Cast Products speaker
- Two (2) Air Horns, one (1) each side of hood
- Four (4) Federal GHSCENE lights, one (1) each side and two (2) rear
- Whelen LED Warning Light Package
- Chevron pattern striping, rear
- 10' 4" Overall height
- 33' 7" Overall length
- 247" Wheelbase
- 184.6" Cab to Axle
- 20,000 FAWR
- 46,000 RAWR
- 66,000 GVWR



To view more photos,
visit www.AlexisFire.com

WE WOULD LIKE TO THANK THE
HANOVER COMMUNITY FIRE
PROTECTION DISTRICT FOR THEIR
BUSINESS.

