

CUSTOM SIDE CONTROL PUMPER



CITY OF MUSKEGON HEIGHTS FIRE DEPARTMENT MUSKEGON HEIGHTS, MICHIGAN

TECHNICAL SPECS

- HME 1871 W MFD xL 12" raised roof Chassis
- Cummins ISC, 360-HP Diesel Engine
- Allison 3000 EVS Automatic Transmission
- Heavy Duty 3/16" Aluminum Body
- Amdor Roll Up Doors
- 1000-Gallon Poly Tank
- Hale, 1250-GPM Pump
- Two (2) 2 1/2" Discharges, one (1) each side
- Three (3) 3" Discharges, one (1) right side, one (1) rear and one (1) over pump
- One (1) 2 1/2" Gated Suction, left side
- Two (2) 1 1/2" Cartridge Lay Preconnects, behind chassis cab
- One (1) 1 1/2" Preconnect, front bumper extension
- Two (2) Triple bottle Air bottle compartments, one (1) each side
- 24" Front bumper extension with center hose well
- Zico Top access ladder, mounted rear left
- One (1) hinged pegboard tool board, left side
- Ladder/Suction hose storage compartment through tank with rear access
- Kusssmaul 1200 Pump Plus on-board battery charger/air compressor
- Kusssmaul Super Auto Eject 120-volt shoreline
- Federal Electronic Siren with two (2) Cast Products 100-watt speakers
- Federal Q2B mechanical Siren, flush mounted front bumper extension
- Dual stutter tone Air horns, front bumper extension
- Smart Power 5500-watt hydraulically driven Generator with 120-volt system
- One (1) Akron Brass Electric cord Reel with 100-ft of 10/3 cord
- Three (3) FRC Focus 120-volt 750-watt telescopic lights, one (1) each side and one (1) rear
- Whelen LED Warning Light Package
- Chevron pattern striping, rear
- 9' 8" Overall height
- 30' 4" Overall length
- 189" Wheelbase
- 129" Cab to Axle
- 18,000 FAWR
- 27,000 RAWR
- 45,000 GVWR



To view more photos, visit www.AlexisFire.com

We would like to thank the City Of Muskegon Heights Fire Department for their business.

